



Caravanning



AWNING · PORCHES · SUN CANOPIES · ACCESSORIES · FLOORING



Content

FULL AWNING

- 4 Prisma Seed
- 6 Penta Thirty
- 8 Commodore Insignia/Seed
- 10 Ambassador Insignia/Seed
- 14 Capri North

PORCH

- 16 Magnum 340/400 Silver
- 17 Minor
- 19 Universal 420/360 Coal
- 21 Winter

ALL YEAR

- 22 Villa

SPECIAL MODELS

- 24 T@B full awning or sun canopy
- 25 Adria Action 361

SUN CANOPY

- 26 Shadow
- 27 Sun Shine Plus
- 28 Eclipse
- 29 Cosy Corner II

ACCESSORIES, FLOORING

- 31 Awning Front and side panels for Fiamma Caravanstore and Omnistore Caravan models
- 32 Annex
- 33 Windscreens
- 34 Accessories
- 36 Isabella Flooring Concept





PRISMA SEED

Prisma Seed's flexibility, high durability and strong frame make it the ultimate awning for permanent pitching. The front can be moved back and forth to create a living room with a covered terrace (with the use of optional extras).

The large windows ensure that Prisma Seed is a bright, welcoming awning where you will spend many an enjoyable hour. For maximum stability, Prisma Seed is supplied with the Zinox MegaFrame. If you want to use Prisma Seed as a year-round awning, additional poles can be purchased to ensure added stability in the off-peak season.


Removable/fold-down panels: Front, side and corner panels.

Special features: Flexible front panels, mosquito nets in both sides³, ventilation in the front, light strip in the roof², large windows, wide all-round overhang.

Comes as standard with: Cube Creme curtains, Wheel arch cover, draught skirt, veranda pole, FixOn, awning bag, pole and peg bags including peg remover.

Optional accessories for assembly: Front divider, additional front panels (2 pcs), right or left panel (for partition) which give more scope for variation¹. Annex 250, net side, Eclipse FSC (Ask your dealer about sizes), door canopy, inner roof, storm securing set.


MATERIALS



COLOURS



TECHNICAL ILLUSTRATIONS







PENTA THIRTY

Penta Thirty has everything you require from a permanent pitch awning – a depth of 3.5 m without the nuisance of a centre pole, and designed so that every inch of space is used. The material used is Isacryl, which allows the awning to breathe. Mosquito net windows in both sides, and the numerous opening options, make for an optimal indoor climate.

A sand-coloured roof imbues the awning with a soft warm light and the combination of the light strip in the roof and the large windows of clear film make the Penta Thirty awning a bright and friendly place to spend time. The sturdy pole construction and the pentagonal shape mean stability for a long season at the campsite. Choose between the strong Zinox steel frame or the extra-strong Zinox MegaFrame for added stability. The combination of MegaFrame with extra winter securing means you can use your Penta Thirty all year round.

Removable/fold-down panels: Front, side and corner panels

Special details: Overhang all the way around, light panels in middle of roof. Two large side ventilation windows with mosquito nets¹, corner door right front, two door options.

Supplied as standard with: Cube Creme curtains, veranda pole, draught skirt, wheel arch cover, FixOn, pole and peg bags, awning bag and peg remover.

Optional extras: Annex 220, door canopy², inner roof, partition wall³, storm securing set.

MATERIALS

Zinox

Zinox
MegaFrame

Isacryl
295 g/m²

Isarroof
285 g/m²

COLOURS

Granite

Steel

TECHNICAL ILLUSTRATIONS

875-940 G14-16

950-989 G18


1000-1025 G19

1050-1125 G20-21



1150-1285 G22-24

1350 G25



A875-1350

350



INSIGNIA



SEED



COMMODORE – 3 METRE INSIGNIA & SEED

Commodore is a fusion of classic Isabella design and contemporary materials. Its depth of 3 metres and the choice of three types of frames are a major advantage, especially for those who alternate between permanent pitching and touring and enjoy having plenty of space in the awning. Large panoramic windows make Commodore a pleasant place to be, with a unique inflow of light. For a pleasant indoor climate, the Commodore model has mosquito nets with a foil cover in both sides, as well as an integrated top ventilation panel in the middle of the front. On hot days and balmy evenings, the nets keep out annoying insects, at the same time allowing the air in the awning to circulate.

Commodore is available both as an Insignia and a Seed model.


Removable/fold-down panels: Front and side panels.

Special details: Intergrated top ventilation¹, Mosquito net in both sides². Seed: Frosted window panels³

Comes as standard with: Veranda pole, draught skirt, wheel arch cover, FixOn, Typhoon storm sashes awning bag, pole and peg bag including peg remover.
Insignia: Collage Blue curtains
Seed: Cube Creme curtains

Optional extras for assembly: Annex 250, door canopy, net side, net front, Cosy Corner II, partition wall, Eclipse front sun canopy, gutter, storm securing set.

MATERIALS



COLOURS

Insignia




Seed




TECHNICAL ILLUSTRATIONS

Insignia



Seed





INSIGNIA



SEED



1

2

3

AMBASSADOR – 2.5 METRE INSIGNIA & SEED

With more than 30 years on the market, our customers rightly expect a lot of the 'Ambassador', the ultimate touring awning which is straightforward to put up. Relatively light in weight, with a depth of 2.5m it offers all the opening options you could possibly wish for. Ambassador has mosquito net panel in both sides and is made of Isacryl for a pleasant indoor climate. The roof is coated on the outside and has a patterned inside, which minimises the formation of condensation.

For a good, natural inflow of daylight, and to ensure that the awning is a light and accommodating place to spend time, Ambassador has large, panelled panorama windows in the front.

Ambassador is available both as an Insignia and a Seed model.

Removable/fold-down panels: Front and side panels.

Special details: Integrated top ventilation¹, mosquito net in both sides².

Seed: Frosted window panels³


Comes as standard with: Veranda pole, draught skirt, wheel arch cover, FixOn, Typhoon storm sashes awning bag, pole and peg bag including peg remover.

Insignia: Collage Blue curtains

Seed: Cube Creme curtains

Optional extras for assembly: Annex 250, door canopy, net side, net front, Cosy Corner II, partition wall, Eclipse front sun canopy, gutter, storm securing set.

MATERIALS



COLOURS


Insignia



Seed



TECHNICAL ILLUSTRATIONS





NORTH NATURE

Our new North Nature collection is inspired by historic camping traditions, which were all about getting out, being at one with nature and enjoying each other's company.

It's an updated take on the simple life with fabulous, comfortable awnings and matching accessories, made for life in the great outdoors.

The tones of our North Nature collection are rustic and fully in keeping with the unique Nordic vibe.

The design is simple and Scandinavian, with clear references to Isabella's historic camping life.







CAPRI NORTH

Capri North is the ideal choice for touring caravanners. In lightweight, breathable, acrylic material the Capri North is quick to erect and easy to transport. The tinted windows make the awning a pleasant place to be, as the large mosquito net windows provide extra ventilation without the annoyance of insects on hot summer days and nights. All front and side panels can be folded down to form a veranda or removed completely. Capri North is available with the Zinox tubular steel frame or the ultra-light CarbonX fibreglass frame.

Removable/fold-down panels: Front and side panels.

Special features: Mosquito nets in both sides¹, front ventilation, strip on sides.

Supplied as standard with: Cube Creme curtains, wheel arch cover, draught skirt, veranda pole, FixOn, awning bag, pole and peg bags including peg remover.

Optional extras for assembly: Annex 250, net side, net front, partition wall, Cosy Corner II, Eclipse FSC, gutter, inner roof, storm securing set.



Capri North is also available for Eriba Touring and Feeling.



1

MATERIALS

Zinox

CarbonX

Isacryl
295 g/m²

COLOURS

Tweed

Grey

TECHNICAL ILLUSTRATIONS

675-775 · G10-G12

800-825 · G13

850-940 · G14-16

950-1075 · G18-20

1100-1175 · G21-22

A675-A1175





MAGNUM 400 SILVER



MAGNUM 340 SILVER



MAGNUM 340 SILVER & 400 SILVER

Magnum 340 Silver and 400 Silver are touring-friendly porches, which are quick to put up when you're on the go. With Magnum 340 Silver or 400 Silver, you get a spacious touring awning with a depth of 2.5 metres and a width of either 3.4 or 4 metres.

The front and side panels can be folded down/removed and, together with two mosquito net sides, offer a wealth of ventilation options. Magnum 340 Silver and 400 Silver have large front windows with frosted foil in the lower section of the window.

If more space is required, inside or out, Magnum 340 Silver and 400 can be extended with an Eclipse front sun canopy (specially designed for Magnum), Cosy Corner (specially designed for Magnum), etc., and an annex gives you an extra bedroom or additional storage space. Magnum 340 Silver and 400 Silver are made of Isacryl, an impregnated, maintenance-friendly material, which also ensures a good indoor climate.

Removable/fold-down panels: Front and side panels.

Special features: Extra long roof wings for additional strength and optimal fit, full length canopy providing extra shelter, mosquito net in both sides! Ventilation in the front. Large front windows with frosted foil in the lower section of the window.

Comes as standard with: Collage Grey curtains, wheel arch cover, draught skirt, veranda pole, FixOn, awning bag, pole and peg bags including peg remover.

Optional extras for assembly: Annex 250, Cosy Corner II special, Eclipse FSC special, Net Front Panel, Net Side, storm securing set.

Suitable for caravans with awning rail heights between 235 cm and 250 cm.

COLOURS



MATERIALS



TECHNICAL ILLUSTRATIONS

Magnum 340 Silver



Magnum 400 Silver





MINOR

When it has to be easy, smart and comfortable, Minor is the answer. Minor comes with a light-weight CarbonX fibreglass frame – which is fast and easy to assemble. The panoramic window in the removable front panel provides a natural inflow of light and a good view. There are doors and a mosquito net in both sides, which can be closed by zipping the foil cover over it. The material is breathable Isacryl which helps create a pleasant indoor climate. As with all of Isabella's porches, you get the best seal to the caravan.

Removable/fold-down panels: Front.

Special details: Mosquito net in both sides!

Supplied as standard with: Set of curtains Bowline Grey, draught skirt, wheel arch cover, FixOn, awning bag, pole and peg bag incl. peg remover.

Optional extras for assembly: Veranda pole, storm securing set.

Suitable for caravans with awning rail heights between 235cm and 250cm

COLOURS



MATERIALS



TECHNICAL ILLUSTRATIONS





UNIVERSAL 420



UNIVERSAL 360





3

4

UNIVERSAL 420 COAL & 360 COAL

Thanks to their great strength and stability, the Universal 420 Coal and Universal 360 Coal porches can be put up in all weather conditions – all year round. Two support poles press the sewn-in foam pads securely against the side of the caravan, while click profiles hold the sides directly on the support pole for a perfect seal.

Universal 420 Coal and Universal 360 Coal have doors in both sides and large windows across the front, giving a good view. The strong Zinox steel frame ensures good stability. If Universal 420 Coal or Universal 360 Coal is to be used as a year-round awning, we recommend the fitting of winter securing and an inner roof (optional extras). The roof construction provides unobstructed opening of the caravan door and minimal build-up of snow.

Removable/fold-down panels: Front and side panels.

Special details: Ventilation in both sides³ and adjustable front ventilation. External mud flap², flexible pegging, special sloping roof which makes the awning suitable for year-round camping, extra heavy-duty window film. (frost proof)

Supplied as standard with: Urban Sand curtains¹, veranda pole, draught skirt, wheel arch cover, FixOn, awning bag, pole and peg bags including peg remover.

Optional extras: Annex 220, Door canopy⁴, inner roof, winter securing set, storm securing set.

Use: Year round.


Suitable for caravans with awning rail height of between 235 and 250 cm

MATERIALS

Universal 420/360



Universal 420



COLOURS



TECHNICAL ILLUSTRATIONS

Distance between roof poles 420: 410cm, 360: 350 cm.

Universal 420 Coal



Universal 360 Coal







WINTER

Thanks to the heavy-duty materials, a special roof angle to prevent the build-up of snow, an extra wide external mud flap, a strong steel frame, flexible pegging and window foil designed to withstand extreme temperatures, Isabella's Winter awning will stay the course – even in a heavy snow storm. The model is made of easy-to-clean polyester/PVC material and has doors in both sides as well as zipped ventilation.

Special details: External mud flap, special roof angle, extreme window foil.

Supplied as standard with: Set of curtains Bowline Grey, draught skirt, wheel arch cover, FixOn, awning bag, pole and peg bag incl. peg remover.

Optional extras for assembly: Inner roof, winter securing set, storm securing set.

Use: Year round.

Suitable for caravans with an awning rail height of between 235 and 250 cm

COLOURS



MATERIALS



TECHNICAL ILLUSTRATIONS

Distance between roof poles 203 cm.





VILLA 550 - 650 - 750 - 850 - 950

For year-round campers/permanent pitchers

Villa a unique year-round/permanent pitching awning, available in 5 widths. Its construction has been designed with maximum stability and durability in mind. Isabella Villa is modular, and the choice of front panels means that you can construct your Villa just as you want it. The awning should not only be suitable for use on hot summer days, but also a good alternative when the snow is lying on the ground. Year-round use places high demands on the equipment, and Isabella Villa is composed of the best materials. The optimal sloping of the roof prevents the build-up of snow. Light is life, and the

large windows and white curtains contribute to a bright, comfortable living space. The window material can withstand extreme cold, and Villa is also equipped with flaps in the fabric to make it easy to close and cover the windows as required. The deep overhang all the way around prevents dirt and pollution, so you can spend your days relaxing, instead of on maintenance. Isabella Villa has been designed to make it easy for you to put up yourself. Your local dealer can also advise you if you wish to have it ready-assembled. The modules are zipped together, simplifying the construction and making it easy to change the front modules without having to dismantle the entire awning.

Isabella Villa is equipped with a padded sluice and connecting piece in the roof, so it can be used on all sizes of caravan (special adjustment may be necessary, especially on small caravans). The caravan can be attached or removed in a few easy steps, though full backing is required (extra) if Isabella Villa is to stand without the caravan. Isabella Villa can also be adapted as standard to mobile homes with a max. height of 265 cm.

DESIGN YOUR OWN VILLA



CHOOSE BETWEEN THESE FRONT PANELS



A Door and window section



B Door and window section



C Window section



D-E Window and door. For 650, 850 only



F Window section with mosquito net (Extra)



G Window section

VILLA 550 – 5 out of a total of 9 possible combinations



B+C



C+C



C+B



A+C



A+B

VILLA 650 – 6 out of a total of 18 possible combinations



A+D+C



A+D+B



C+E+C



C+E+B



C+D+C



E+C+C

VILLA 750 – VILLA 850 – VILLA 950. 3 examples of 750, 850 and 950



A+C+G
750



C+E+C+G
850



C+B+G+G
950

Talk to your dealer about further combination options and the option of a patio.
950: 750 + 2 m patio.
850: 650 + 2 m patio.
750: 550 + 2 m patio.

COLOURS

Tweed

Flax

TECHNICAL INFORMATION

Ground: Depth 300 cm.

Length 550 cm, 650 cm, 750 cm, 850 cm, 950 cm

Colour combination: Tweed/Flax.

Awning canvas: Solid-dyed Isacryl.

Roof fabric: 520 g/m² PVC/Polyester welded joints.

Curtains: Cube Creme.

Frame/Construction: 40 x 40 mm aluminium profiles with angle brackets.

No. of doors: At least two. Ventilation in both sides. Overhang all the way around.

SUPPLIED AS STANDARD

Villa comes complete with 40 x 40 mm. aluminium profile frame, roof, fronts and sides with window flaps, connection set with roof sluice, 2 cushions, draught skirt and standard wheel arch cover.

The awning comes with two 70 cm, back wall section, so that the opening at the back will be: 550 = 410 cm, 650 = 510 cm, 750 = 610 cm, 850 = 710 cm, 950 = 810 cm.

All parts can be replaced in the event of damage. Height at the back approx. 240 cm.

OPTIONAL EXTRAS (ADDITIONAL COST)

Closing back wall panel.

Inner roof.

Winter securing set (cross bar and support poles).

Gutter.

F-module: Closable front panel with mosquito net.

G-module: VILLA 750, VILLA 850, VILLA 950
Villa Connection Tunnel 70 cm 550.
Villa Connection Tunnel 70 cm 650.
Villa Connection Tunnel 70 cm 750
Villa Connection Tunnel 70 cm 850
Villa Connection Tunnel 70 cm 950
Villa Porch Roof/left or right.
Villa Windscreen Front (Matching the size).
Villa Windscreen Side (For all sizes).
Villa Porch Back (Matching the size).

WE RECOMMEND

placing the awning on a fixed floor measuring 300 x 550 cm, 300 x 650 cm, 300x750 cm, 300x 850 cm, 300 x 950 cm. Talk to your dealer or a local carpenter about this.

NB!

Villa must be mounted on a 10 cm-high floor.



T@B AWNINGS AND SUN CANOPY

T@B 400 AWNINGS

Material: Front in Isacryl, beautiful colour fast, fibre-dyed acrylic. Side panels and roof made in coated polyester and lower panel is PVC for easy cleaning.

Details: The front panel can be removed or drawn!. The ventilation net window feature in the right hand side panel has a zipped foil cover.

Included: Curtains, special draught skirt and wheel arch cover.

Frame: Lightweight combination of Aluminium and IXL™ fibreglass. Adjustable roof poles.

Screwless FixOn brackets.

Footprint: 225 x 415 cm

Weight: 22 kg

T@B 320 AWNINGS

For T@B 320 RS or T@B 320 Offroad

Material: Front in Isacryl, beautiful colour fast, fibre-dyed acrylic. Side panels and roof made in coated polyester and lower panel is PVC for easy cleaning.

Details: The front panel can be removed or drawn.

The ventilation net window feature in the right hand side panel has a zipped foil cover.

Included: Curtains, special draught skirt and wheel arch cover.

Frame: Lightweight combination of Aluminium and IXL™ fibreglass. Adjustable roof poles.

Screwless FixOn brackets.

Footprint: 180 x 370 cm

Weight: 18 kg

T@B SUN CANOPY

Fits onto T@B 320 RS, T@B 320 Offroad and T@B 400²

Material: Coated polyester in city chic colours and style to compliment the T@B.

Details: The 370 cm long storm guy is also a measuring tape to show the correct distance between the front legs.

Included: Exclusive bag with separate compartments for canopy and poles.

Frame: Curved aluminium tube for the front. Adjustable roof poles. Fixon screwless brackets.

Height: 210 cm at the tallest point.

Depth: 180 cm

Weight: 320: 6.8kg 400: 8.3kg

COLOURS

Indigo

Abricot

Grey

MATERIALS

Isacryl
295 g/m²



AWNING – DESIGNED FOR THE ADRIA ACTION 361 CARAVAN

The best holidays are a mixture of busy action packed days, and times to relax and chill out, to make the most of all occasions there is no better place than an Isabella awning.

A caravan with a unique shape needs a specially designed awning and we have done just that for the 361 Adria Action European caravan model. It matches perfectly to the vehicles unique lines and is both elegant and functional.

Material: Front in Isacryl, beautiful colour fast, fibre-dyed acrylic. Side panels and roof made in coated polyester and lower panel is PVC for easy cleaning.

Details: The front panel can be removed or drawn. The ventilation net window feature in the right hand side panel has a zipped foil cover.

Included: Curtains Hyacinth, draught skirt and wheel arch cover.

Frame: Lightweight combination of Aluminium and CarbonX fibreglass. Adjustable roof poles. Screwless FixOn II- brackets.


Optional extras for assembly: Annex 220, storm securing set.

Total weight incl. frame: 30,8 kg


COLOURS



MATERIALS



TECHNICAL ILLUSTRATIONS





SHADOW TOURING SUN CANOPY

Shadow is the multipurpose touring canopy, which can be put up in a jiffy no matter where you are. In addition to being mounted on the caravan itself, Shadow can also be used as a side canopy on the awning. Combine with the sides (optional extras), to give extra shelter and protection against the sun under your Shadow. The particularly strong and stable pins on the poles and metal rings in the roof provide optimal tensioning and greatest possible stability.

Depth (cm): 200

Widths (cm): 240, 300, 360, 400, 500

Poles: CarbonX 240/300: 2 pcs. 360/400/500: 3 pcs.

Supplied as standard with: Typhoon storm sashes, transport bag and pole bag.

Optional extras for assembly: Net side with connection strip and beading in both sides¹. The net side is supplied with FixOn brackets and "Tectum" system (roof pole and a click multi-connector for easy assembly)².

Weight (kg): 240: 3,6 - 300: 3,7 - 360: 4,5 - 400: 4,8 - 500: 5,3

MATERIALS

CarbonX

IsaLite
195 g/m²



SUN SHINE PLUS SUN CANOPY

The greatest possible stability and lowest possible weight are united in the Sun Shine Plus canopy. Sun Shine Plus comes complete with a right and left side. CarbonX frame with the IsaFix connection system make putting up and taking down fast and efficient. If you already have an Isabella full awning in 2.5 m depth, the frame can also be used for the sun canopy. Ask your dealer. Enabling your Sun Shine Plus to be converted into a lightweight touring awning in next to no time.

A front is available as an optional extra.

Depth (cm): 250


A-measurement from-to (cm): 800-1175

Special details: Pockets on the front poles.


Supplied as standard with: Right and left-hand side, draught skirt, wheel arch cover, FixOn, transport bag, pole and peg bag.

Optional extras for assembly: Front¹.

MATERIALS



TECHNICAL ILLUSTRATIONS



Front





ECLIPSE SUN CANOPY

Not only is Eclipse suitable for use as a front sun canopy on Isabella's awning models, but it can also be used as a lightweight touring sun canopy directly on the caravan. Eclipse is fastened to the overhang of your awning, creating a lovely shady terrace and increasing the area under cover. The lightweight CarbonX frame with the IsaFix connection system as well as the TectumPro building system, make it fast to put up. For extra shelter, a side can be purchased as an optional extra. It fits both the left and right-hand side of the front sun canopy.

Eclipse and the shelter side can also be used on Magnum 340 Silver and 400 Silver. Eclipse is also available in a mini version, which is 150 cm deep. Mini Eclipse is available in G14-G21 and must be mounted on the awning for use (cannot be mounted directly on the caravan).

Depth: Eclipse 225 cm / Mini Eclipse 150 cm

Sizes from-to: G14-G21


Supplied as standard with: CarbonX fibreglass frame with Tectum Pro system (Tectum Pro is a revolutionary new connection system for simple click assembly¹) and F-link (F-links to be added to the awning poles²), Typhoon storm sashes, transport bag.

Optional extras for assembly: Side (right/left). The side panel (optional extra) for Eclipse is easily assembled using plastic connecting strips. The side panel can be used on either the left side or right hand side. Optional extra the Eclipse side with side adaptor when used directly on the caravan, (261000416)³

MATERIALS



TECHNICAL ILLUSTRATIONS





COSY CORNER II

If you need shelter or simply good screening by the door, where you can sit and soak up the atmosphere at the campsite, Cosy Corner II is the perfect solution. Depth approx. 150 cm. Cosy Corner II is easy to assemble by virtue of its sewn-on beading and connection sections as well as Tectum Pro and lightweight CarbonX poles. Cosy Corner II can be positioned to the right or left of the doors at the front of the awning. If you would like a larger cosy corner, two Cosy Corner II's can be placed next to each other to form an extra angle. Please give the awning's A-measurement when ordering!

MATERIALS



CarbonX



Isacryl
295 g/m²



Isarroof
285 g/m²





Convert your Fiamma and Omnistore door canopy into an Isabella room

The front of the door canopy has a large door on the right, which can be rolled up and tied with a ribbon. The extra wide mud flap can be used inside or out as needed. Adjustable straps for optimal tensioning. The large windows of the canopy front provide a wonderful panoramic view.

Door canopy side Universal. The right-hand side has a door and a large window. The left-hand side has two large windows. The sides are easily attached with Velcro. The side pieces also have an extra PVC piece, which is pressed in against the caravan. Together with adjustable straps, this ensures the best fit against the side of the caravan. The parts are supplied with detailed assembly instructions.

The door canopy front and sides are made of 100% polyester with a PVC mud flap. Colour: light grey/grey and steel blue. Curtains and curtain poles are available as optional extras.

Door canopy front for bag canopies

Fiamma Caravanstore 310/OMN Caravan style 300
weight 3,4 kg · 208103105

Fiamma Caravanstore 360/OMN Caravan style 350
weight 3,8 kg · 208103605

Fiamma Caravanstore 410/OMN Caravan style 400
weight 4,1 kg · 208104105

Fiamma Caravanstore 440
weight 4,4 kg · 208104605

Door canopy side universal

Supplied as a set of two sides (Right and left). Weight 6,5 kg

FIA220/OMN 220 (208100005)

OMN 250 (208100016)

Supplied as standard with: Pole and peg bags, awning bag and peg remover.

Optional extras: Set of curtains with curtain poles.

Curtains design: Luxor white.

Suitable for caravans with awning rail height of between 235 and 250 cm.

- 1 PVC wing for best fit to unit.
- 2 Attaching the front.
- 3 Side panels attached with velcro.

MATERIALS



IsaLite
195 g/m²

COLOURS

Light grey

Antracit grey

Steel blue

Find an Isabella annex to fit your awning

Need more storage space or an extra bedroom in the awning? Isabella offers various solutions.

Annex Coal and Annex Insignia are tall annexes offering maximum height and a lightweight frame in CarbonX.

Annex Sand also has a maximum height but comes with a steel frame.

All Isabella annexes are equipped with an extra zip so the awning's side panel can be used as a partition wall.

1 INNER TENT FOR ANNEX

Dimensions: 200 x 140 x 165 cm.
(space for small, double air bed).
Materials: Cotton with fixed PVC base.
Can also be mounted in the awning.

2 PARTITION WALL FOR ANNEX

Materials: Cotton.
Size: 220, 250 or 300 cm.



ANNEX ISABELLA SAND 220

Ground: 200 x 130 cm
Frame: Zinox
Material: Polyester
Optional extra: Inner tent
Item number: 403112205



ANNEX ISABELLA COAL 220

Ground: 214 x 130 cm
Frame: CarbonX
Material: Acryl
Optional extra: Inner tent
Item number: 403502205

PENTA THIRTY
UNIVERSAL 420 COAL
UNIVERSAL 360 COAL



ANNEX ISABELLA SAND 250

Ground: 230 x 130 cm
Material: Polyester
Frame: Zinox
Optional extra: Inner tent
Item number: 403112505



ANNEX ISABELLA COAL 250

Ground: 230 x 140 cm
Frame: CarbonX
Material: Acryl
Optional extra: Inner tent
Item number: 403502504

PRISMA SEED
COMMODORE SEED
COMMODORE INSIGNIA
AMBASSADOR SEED
AMBASSADOR INSIGNIA
CAPRI NORTH
MAGNUM SILVER



ANNEX ISABELLA INSIGNIA

Ground: 230 x 140 cm
Material: Acryl
Frame: CarbonX
Optional extra: Inner tent
Item number: 403512506

Isabella windscreens

All windscreens from Isabella are supplied with poles (including rafter poles), guy ropes, pegs and the Stabilo system as standard.

1 LINEA / VENTUS – 4-sided.

Measurements: 460 x 110 cm.

Weight 5,6 kg.

Material: Acrylic/PVC.

Linea: Tinted foil

Ventus: Net material

Colour: Granite/Black.

Standard: CarbonX poles.

2 SUN – 3-sided.

Measurements: 460 x 130 cm.

Weight 8,5 kg.

Colour: Grey.

Material: Coated polyester.

Standard: Zinox poles.

3 ACRYL – 3-sided.

Measurements: 460 x 130 cm.

Weight 8,5 kg.

Colour: Granite.

Material: Acrylic.

Standard: Zinox poles.

4 FLEX GREY – 3-sided.

Basic measurements: 460 x 140 cm.

Weight 8,3 kg.

Material: Coated polyester.

Standard: Zinox poles.

The basic model may be extended as required by adding more zipped panels to the middle


5 PANELS

Panel measurements: 154 x 140 cm.

Standard: Zinox poles

6 THE STABILO-SYSTEM

The Stabilo-system consists of loose earth spikes and support feet. The system ensures that windscreens remain securely in place at all times. The system is supplied as standard with all windscreens, though the support feet are also available separately for use with awnings.





Isabella accessories

1 DOOR CANOPY

Fits Commodore Insignia and Seed, Ambassador Insignia and Seed, Capri North. Also available specially for Penta Thirty and Universal 420 Coal and 360 Coal.

2 NETFRONT

Fits Commodore Insignia and Seed, Ambassador Insignia and Seed, Capri North and some older models (in sizes G14-G20)

3 NET SIDE

Available for awnings with 3 m or 2.5 m deep sides.

4 WINTER SECURING SET

Available for Universal 420 Coal and 360 Coal and Winter.

5 INNER ROOF

Available for Prisma Seed, Penta, 3 m and 2.5 m deep full awnings, Universal 420 Coal and 360 Coal and Winter.

6 PARTITION WALL

Available in two sizes to fit all Isabella awnings with a depth of either 2.5 m or 3 m. Also available for Penta.

7 DOOR CANOPY TO CARAVAN

8 ALUMINIUM ROOF GUTTER WITH SPOUT

9 UNIVERSAL WHEEL ARCH COVERS FOR THE CARAVAN

10 WINDOW CANOPY

Read more about Isabella accessories and view furniture, clothing and accessories in Isabella's accessories catalogue or at www.isabella.net



ISACLEAN
All-Year 900060431
Season 900060432
Window 900060434

AQUATEX



HERCULES TRIPLE
 For the tensioning of all pole types.
 900060453



STORM SECURING SETS
 900060195



MULTI ORGANIZER
 475000112



FLEX ORGANIZER
 475000102



ISABELLA PEG REMOVER
 900060005

PEG BAG
 900060300



TOP ORGANIZER
 475000095

ORGANIZER HIGH
 475000075



AWNING BAG
 Available in 3 different sizes.
 S: 900060214
 M: 900060215
 L: 900060216



POLE BAG
 900060217



Isabella Flooring Concept

Isabella – layer upon layer

Start by laying Ground Cover over an area bigger than the awning to protect the mudflaps and awning materials. Then lay Isabella Floor over the entire awning area, remember the edging strips for a neat finish especially in doorways. A Comfort Carpet keeps the heat in and is soft and comfortable to walk on. Finally, lay an Isabella Carpet for a beautiful finish that's easy to keep clean.

1 ISABELLA GROUND COVER is the perfect underlay – a thin but strong sheet that lies on the ground, it protects the awning canvas from soil and mud, and because the mudflaps are not in contact with the ground they are easier to clean.

Supplied on rolls of 2 x 18 m (36 m²). Ground Cover is fully breathable and suitable for touring sites.

2 ISABELLA FLOOR

If you spend a lot of time in your awning, you want good insulation, and a floor that is smooth and level. Isabella Floor offers a full range of advantages. It is easy to install without the use of tools, the 50 x 50 cm tiles simply snap together like building blocks, no other parts are needed. It is easy to store and exceptionally durable.

3 ISABELLA GROUND SHEET

The Isabella Ground Sheet is available in different sizes to fit the awnings. Put it under the awning carpet to avoid moisture from the soil. Isabella Ground Sheet has plastic reinforcements in the corners with ring for pegging and reinforced edges, so it will last for years. Colour: Anthracite. Material: PU 160 g/m² Depth: 270, 320 or 370 cm Lengths: 500, 600, 700 or 800 cm

4 ISABELLA COMFORT CARPET is a soft, insulating comfort underlay which is placed between the plastic barrier or wooden floor and the awning floor covering to keep cold and damp at bay. It also provides a soft floor area to sit and walk on. Supplied on rolls of 1.5 x 15 m (22.5 m²).

5 ISABELLA CARPET



5

ISABELLA CARPET

4

ISABELLA COMFORT CARPET

3

ISABELLA GROUND SHEET

2

ISABELLA FLOOR

1

ISABELLA GROUND COVER

Camping comfort starts at floor level

Isabella's Flooring Concept gives you a host of options, no matter how you camp. We have developed a concept that allows you to customise the different elements to your actual needs. You get the ultimate solution, whether you're permanent pitcher, a touring caravanner, a year-round caravanner, a summer caravanner or...

The underlay types are the same – it's the composition of them that makes all the difference. You can focus on what is most important to you and your way of camping: stability, finish, cleaning or comfort. Here are three suggestions:

1 For the touring caravanner

who travels around and values comfort and easy cleaning highly, we recommend:

- ISABELLA GROUND COVER... to protect the awning from mud.
- ISABELLA GROUND SHEET... to prevent moisture from rising up from the ground.
- ISABELLA CARPET... for a beautiful finish that is easy to keep clean.

2 For the seasonal camper

who remains in one place and values comfort and easy cleaning highly, we recommend:

- ISABELLA GROUND COVER... to protect the awning from mud.
- ISABELLA GROUND SHEET... to prevent moisture from rising up from the ground.
- ISABELLA COMFORT CARPET... for an insulating, soft comfort.
- ISABELLA CARPET... for a beautiful finish that is easy to keep clean.

3 For the permanent pitcher

who always stays in the same place and values comfort, a firm surface and easy cleaning highly, we recommend:

- ISABELLA GROUND COVER... to protect the awning from mud.
- ISABELLA FLOOR... for a firm, even floor.
- ISABELLA GROUND SHEET... to prevent moisture from rising up from the ground.
- ISABELLA COMFORT CARPET... for an insulating, soft comfort.
- ISABELLA CARPET... for a beautiful finish that is easy to keep clean.

For more information about the Isabella Flooring Concept, visit Isabella.net.









ISABELLA CARPET



Comfortable flooring for your awning

Isabella Carpet matches your Isabella awning perfectly and in a choice of quality to suit your camping needs. Our quality carpets are made in a smooth-woven combination of nylon threads, spun with PVC and finished in a heat press, so they can be fitted to any awning and even trimmed without fraying; they are lightweight and can be easily folded and cleaned.



Premium: smart, high quality design.
Regular: unique strong weave.
Light: a squared design

PREMIUM

- 5A Sol 2,5-3,0-3,5 m
- 5B Frigg 2,5-3,0-3,5 m


REGULAR

- 5C Freja/Light Grey 2,5-3,0 m
- 5D Trud/Dark Grey 2,5-3,0 m
- 5E Idun/Blue 2,5-3,0 m


LIGHT

- 5F Grid 2,5 m


ISABELLA FLOOR



With the option to purchase edges for Isabella Floor, you can create a beautiful finish.



Isabella Floor uses a unique interlocking system.



ISAGRIP

IsaGrip is a clip used to hold carpets and underlay in place. IsaGrip is easy to fit without damaging the carpet.

900060290

Three premium products

Today, Isabella offers three different types of poles: Zinox steel poles, Carbon-X and the latest addition, Zinox Mega Frame.

Zinox steel poles lend themselves to permanent pitching, universal and winter awnings. Carbon-X: Best for touring awnings and Isabella's lightweight awnings. Zinox Mega Frame is for year-round awnings.



CarbonX™ frame

a carbon-fibre reinforced fibreglass frame, is suitable for both permanent and touring caravanning. Carbon Fibres are combined with glass fibres in varying amounts, according to pole diameters, to offer maximum strength. The frame is light and fully corrosion resistant. All CarbonX frames are supplied with the IsaFix locking mechanism. With IsaFix in place, keeping the frame in position is easy. With one press of the hand grip, a discreet "click" tells you IsaFix is locked in position.



Zinox™ steel frame


is hot galvanised both inside and out to extend its life and to meet all load bearing requirements. The steel frame is made of ISO-certified high-strength steel. The strength of the Zinox steel frame makes it particularly suitable for pitching your caravan permanently – and it is included with all Universal and winter porch awnings, because caravanning in the off-peak seasons demands great structural stability due to weather conditions such as strong winds and snow.




Zinox™ MegaFrame

The Zinox MegaFrame is a durable tubular steel frame (material thickness: 32 mm/1.2 mm) with welded corners and MegaFix on the poles. MegaFrame is designed for year-round use with a full awning which can remain standing all year, and can withstand powerful storms, snowfall and torrential rain. The Zinox MegaFrame is supplied with two extra rafter poles, as well as one Hercules 32.5 mm.

ZINOX



ZINOX MEGAFRAME



IsaFix™ locking clamp

included on all CarbonX frames or update your own fibreglass frame! IsaFix can be fitted easily to any Isabella frame, replacing telescopic couplings and wing nuts for quick and efficient assembly of the awning frame.



T-Rex™ locking mechanism

for the Zinox steel frame locks the poles in place and keeps them tensioned in all weather conditions with one press of the hand grip and a discreet "click".


CarbonX layers

- 1 Lengthwise fibreglass reinforced with carbon
- 2 Cross winding
- 3 Lengthwise fibreglass
- 4 Clockwise cross winding
- 5 Anti-clockwise cross winding
- 6 Lacquer



Zinox layers

- 1 Transparent lacquer
- 2 Aluminium/zinc
- 3 Steel
- 4 Aluminium/zinc
- 5 Transparent lacquer



EXPLANATION OF SYMBOLS

Isacryl
295 g/m²

Isacryl particularly breathable material 295 g/m²

PVC

PVC/Polyester intensely resilient and water resistant material.

Zinox
MegaFrame

Extra strong **Zinox Mega-Frame** tubular steel frame 32 mm with welded corners and double screw locking.

Light
Isacryl
260 g/m²

Isacryl Light is a lightweight particularly breathable material 260 g/m²

Coated
polyester

Coated polyester extremely light and easy-to-maintain material

Zinox

Zinox tubular steel frame with T-Rex locking clamp.

IsaLite
195 g/m²

IsaLite remarkably light and easy-to-maintain material.

IsarooF
285 g/m²

IsarooF uv protective acrylate-coated polyester, with an added top coat in 3 layers.

CarbonX

CarbonX fibreglass frame with Isafix locking clamp.

TECHNICAL ILLUSTRATIONS

936-1035 · G18-19



Front and side illustration

Figures Covers A-measurement

from-to (cm) Price group (G)

Red dots No. of rafter poles.

Red line Zip for removable and fold-down panels.

Grey window Ventilation net with foil cover.



A900-A1225

Base drawing

Up/down arrows + number Base depth in cm

Left/right arrows + number Base width in cm

A-measurement Available in Isabella A-sizes (only specified for full awnings)

Red line Removable and fold-down panels.

Dotted outline Canopy.

Black angles Door openings.


Curtains

All Isabella awnings are supplied with curtains. The curtains are carefully designed to match the awning colours for a harmonious look. The specially developed curtain system ensures that it is easy to put up and take down again.

All Isabella curtain materials are given a finishing treatment to withstand environmental impacts, such as mould, rot, fungi or mildew, usually caused by differences in temperature. This special finishing treatment can be restored after washing by ironing the curtain.



Cube Creme



Urban Sand



Collage Blue



Collage Grey



Bowline Grey



Hyacinth

Materials (g/m ²)	100% polyester		100% acryl	65% polyester 35% PVA		28% polyester 72% PVC		23% polyester 77% PVC		20% polyester 80% PVC	
	A	B	B+C	B	A	A	B	C	A	C	
Roof (A)-Canvas (B)-Base (C)											
PRISMA SEED				290	285					380	
PENTA THIRTY				295	285					380	
COMMODORE SEED				295	285					380	
COMMODORE INSIGNIA				295	285					380	
AMBASSADOR SEED				295	285					380	
AMBASSADOR INSIGNIA				295	285						
CAPRI NORTH				295	285			350			
MAGNUM 340 SILVER				295	285						
MAGNUM 400 SILVER				295	285						
MINOR	240			260				350			
UNIVERSAL 360 COAL				295	285					380	
UNIVERSAL 420 COAL				295	285					380	
WINTER							380		520	380	
SUN SHINE PLUS	240		240								
SUN SHINE PLUS FRONT	195		195								
CAPRI NORTH – ERIBA TOURING				295	285			350			
T@B				295	285					380	
ADRIA ACTION 360				260	240			350			

Exceptional materials

Isabella uses only the best materials, made by the world's leading suppliers.

Isacryl is a spinneret-dyed (i.e. the fibres are dyed), textured-weave, durable acrylic material. Isacryl has the highest achievable fade-resistance thanks to the pigmentation method. The density of the weave plus the impregnation all the way through prevent water ingress. Nevertheless, Isacryl is a breathable material, which facilitates the best possible indoor climate in the awning.

Isacryl Light is a spinneret-dyed (i.e. the fibres are dyed) extra lightweight acrylic material, making it especially suitable for touring.


PVC/Polyester is intensely resilient and water resistant material.

IsaLite is a coated polyester material, which is durable, lightweight and easy to keep clean.

The window foil is the best available on the market. In some of the models, the window

foil is also tinted to tone down the sun's rays, and in awnings for use in winter, a foil is used which can withstand sub-zero temperatures. All Isabella awning **roofs** are made of strong, UV protective acrylate-coated polyester, with an added top coat to help prevent the build-up of dirt. The roof fabric is impregnated in 3 layers (with the exception of Capri, which, in order to make it lighter and more touring-friendly, has 2 layers). The inside is patterned to create a pleasant indoor environment, and this also helps make any dirt on the outside less noticeable.


To determine the "A-size": Park the caravan on level ground. The "A-size" is the length from ground level, through the awning channel and back down to the ground. This can be done easily with a piece of string. We have a database of caravan sizes from 1970 onwards on our website, www.isabella.net. For Porch/Part awnings the caravan channel height determines the fit. All Isabella full awnings can also be used as part awnings. Using a foam pad, support pole and two click profiles. Measure your caravan "Full awning as large/small Porch" as shown and match to the nearest Isabella "A" size. This solution works for new and older models the parts are all supplied as optional extras.



ESTIMATED WEIGHT (KG)

MAGNUM 340 SILVER	33,1
MAGNUM 400 SILVER	34,72
MINOR	28,3
UNIVERSAL 420 COAL	51,5
UNIVERSAL 360 COAL	46,0
WINTER	28,3
CAPRI NORTH - ERIBA TOURING	19,32
T@B	11,17
ADRIA ACTION 360	20,70
SHADOW	
	500 400 360 300 240
	5,3 4,8 4,5 3,7 3,6

FULL AWNING AS LARGE PORCH



ESTIMATED WEIGHT (KG)

G-SIZE	10	12	13	14	16	18	19	20	21	22	23
Isabella size	675	750	800	850	900	950	1000	1050	1100	1150	1200
Covers "a"-measurements from-to	666-685	736-760	786-810	836-860	886-910	936-960	986-1010	1036-1060	1086-1110	1136-1160	1186-1210
Isabella size	700	775	825	875	915	962	1015	1075	1125	1175	1225
Covers "a"-measurements from-to	686-715	761-785	811-835	861-885	901-925	948-972	1010-1019	1061-1085	1111-1135	1161-1185	1211-1235
Isabella size	725				925	975	1025				
Covers "a"-measurements from-to	716-735				911-935	961-985	1020-1035				
Isabella size					940	989					
Covers "a"-measurements from-to					926-950	975-999					

Incl. frame Zinox (A)/ CarbonX (B) / MegaFrame (C)	A	B	A	B	A	B	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
PRISMA SEED									73,0			96,0			97,0			119,2			120,7			137,0			137,5
PENTA THIRTY					52	76	56,6	83,3	69,0	93,2	71,0	95,2	83,3	112,2	84,3	113,2	90,6	123,3	91,4	124,1							
COMMODORE SEED					40,3	33	42,5	34,2	54,5	45,0	68,5	61,5	50,0	75,5	63,0	51,5	77,0	69,6	56,5	88,0	71,1	58,0	89,5	79,5	63,5	99,0	
COMMODORE INSIGNIA							49,3	41,5	54,5	45,0	68,5	61,5	50,0	75,5	63,0	51,5	77,0	69,6	56,5	88,0	71,1	58,0	89,5	79,5	63,5	99,0	
AMBASSADOR SEED					43,9	36,8			49,8	42,2			56,5	46,0	58,0	47,5		64,0	52,5		65,7	57,4					
AMBASSADOR INSIGNIA					43,9	36,8																					
CAPRI NORTH	32,5	27,5	33,3	28,3	36,0	31,0	43,1	36,0	44,6	37,5	49,8	42,0	56,5	46,0	58,0	47,5	63,9	52,4	65,5	54,0							
SUN SHINE PLUS					22,2	17,2	24,7	18,4	25,1	18,8	26,0	21,1	29,9	21,4	30,1	21,6	30,7	23,9	31,1	24,3							
SUN SHINE PLUS FRONT					7,5				7,5		7,5		7,5		9,0		9,0		9,0								
ECLIPSE							8,7				8,9		9,2		9,5		9,6		9,9								

Side: 2,5

Attention to detail is a focus on quality

The famous German architect Ludwig Mies van der Rohe stressed the value of attention to detail most poetically: "God is in the details". Without attention to detail, the quality will never be the best it can be. And that is why Isabella pays such attention to detail. Of course an awning can look good from a distance, but Isabella wants it to look good up close, too.

Function and ease of use

Smart, carefully considered details ensure simple function and ease of use. The same carefully considered details also ensure durability. An awning is an investment that must hold its value. Both its utility value – holiday after holiday – and its sales value in the event that the Isabella awning is sold on to happy, new owners.

- A** Exclusive Typhoon™ storm sash.
- B** DropStop™ rain grommets are fitted to all rivets in the roof.
- C** FixOn™ screwless brackets designed for better tensioning, with easy positioning. Supplied with all Isabella awnings.
- D** Heavy-duty hard-wearing reinforcements. All D-rings are sewn with PVC reinforcements.
- E** Door ties with press studs for all Isabella awnings.
- F** Isabella curtain system for material that hangs perfectly, with the pattern inside or out whichever you prefer, and allowing curtains to be easily taken down and put up.
- G** To complete your window dressing, all of Isabella's curtains come with tie-backs in the same fabric as the curtains. Tiebacks are easily fitted with a snap fastener on the sewn-in tape in your awning.
- H** IsaFlex™ pegging elastics with great elasticity and strength are supplied with the Isabella range.
- I** The double wing, with separate beading and seam detail, ensures a great fit on all caravan shapes.
- J** The double-folded seams in the roof guarantee a 100% straight & waterproof seam for a better shape roof. The curve of the roof is designed to ensure the best possible fit and better tensioning of the awning.
- K** Storm Securing PVC triangles are firmly sewn under windows for optimum position of IsaLink™.
- L** Substantial four way zips, always run



- M** Internal mud flap allow the pegging elastics to perform correctly and prevents drafts in the awning. Laying carpet over the mud flap makes an effective draft excluder.
- N** All Isabella awnings have ventilation panels; some are fitted with extra panels and/or mosquito net(s) in the side, these reduce condensation and create the best indoor climate.
- O** Regulator tabs in the corners and spiked shoes on the poles ensure uniform tensioning and reduce wear and tear "locking" the canvas and frame together.



- P** Exclusive storage and transport bags for awnings, along with frame bags and peg bags, are available.
- Q** The frames of Isabella's awnings are pre-assembled for easy assembly. The CarbonX fibreglass frame comes with IsaFix locking mechanism, and the Zinox steel frame with T-Rex locking mechanism. The locking mechanisms make putting up the awning easy and problem-free.

View the rest of our product range in our other catalogues



ACCESSORIES

- Furniture
- Lighting
- Kitchen
- Storage
- Bags
- Clothing



CAMP-LET

TENTS

- Moment 300 North
- Moment 180 North

Isabella A/S reserves the right to make improvements/changes on the products without notice, and can accept no responsibility for discrepancies between this information and subsequent models. We make every effort to ensure perfect colour reproduction, but owing to printing limitations, colour differences may occur.

Copyright © 2017 Isabella A/S

All information on this page and all pages in this catalogue are protected by copyright. It can not be distributed partly or entirely without the written agreement from ISABELLA.

Service agreement

A full service agreement is supplied with all goods, a copy is available on request. In the unlikely event of complaint, the deadline is 24 months from the date of purchase. If you find cause for complaint on articles used privately and for the purpose intended, pls. follow the procedures detailed, and report the problem to the retailer with whom the contract of sale was made. NB Other uses may not be covered. Isabella gives not only the statutory warranty, but a 2-year guarantee on all our products.

If you have just bought a new Isabella awning, by signing up and registering your awning with Isabella Club, you get 1 extra years warranty, i.e. a total of 3 years warranty valid from date of purchase.

See terms and conditions at www.isabella.net/uk/isabella-club

SUPPLIER OF FINISHING TAPE

Flexible by the metre...

ELAS A/s

www.elas.dk



SUPPLIER OF FINISHING TAPE

BALSLOW

Textile: Ribbons, Print & Concepts

SUPPLIERS OF WINDOW FOIL

always with you...

Achilles
ACHILLES CORPORATION



Rely on it.

SUPPLIERS OF AWNING FABRIC

TENCATE
OUTDOOR FABRICS

SATTLER
thinking highTEX

SUPPLIER OF FRAMES

campion
campion production aps

SUPPLIERS OF ZIPS

Opti

YKK

Little Parts. Big Difference.®

Coats Opti

SUPPLIER OF MATERIAL FOR LOWER PANEL

SIOEN INDUSTRIES

SUPPLIERS OF CURTAINS

Søren Olsen
TEXTIL

SUPPLIER OF SEWING THREAD

AMANN
GROUP

DEUTSCHLAND /
ÖSTERREICH / SCHWEIZ
Isabella Vorzelte Deutschland GmbH
Max-Planck-Str. 4
DE-34253 Lohfelden
Tel. +49 (0561) 51 20 33
info-de@isabella.net

NEDERLAND
Isabella Nederland BV
Postbus 90
NL-3870 CB Hoevelaken
Tel. +31 (033) 2541100
info@isabella.nl

NORGE
Norsk Isabella A/S
Postboks 57
NO-1740 Borgenhaugen
Tel. +47 69 127575
info@isabella.no

UNITED KINGDOM
Isabella International Camping Limited
Drakes Farm
Drakes Drive
Long Crendon
Buckinghamshire
HP18 9BA
Tel. +44 (01844) 20 20 99
info@isabella.co.uk

BELGIUM / FRANCE /
LUXEMBOURG
Camping Distribution
Rue de Baronhaie, 63
BE-4682 Heure-le-Romain
Tel. +32 (0)42 27 46 32
info@camping-distribution.com

ITALIA
Automarket Bonometti spa
via Lago D'Iseo, 2
IT-36077 Altavilla Vicentina
Tel. +39 3401 265285

Rzeczpospolita Polska
Pro Camp
ul. Krotoszynska 43
PL-51-009 Wroclaw
Tel. +48 (71) 352 47 75
info@procamp.pl

SLOVENIJA
Freedom Center
AC izvoz – Celje Center, Mariborska C. 200 a
SI-3000 Celje
Tel. +386 59 032 145

SVERIGE
Kama Fritid AB
Box 114
SE-560 27 Tenhult
info@kamafritid.se

SUOMI
Kama Fritid Oy
Aurinkokuja 5
FI-33420 Tampere
info@kamafritid.fi

OTHER COUNTRIES:
Please contact Isabella A/S
in Denmark.



Isabella
feel free

