



# COACHMAN

## 2020 COLLECTION



# CRAFTED with love



**When you choose a new caravan from the Coachman collection, it is only just the beginning of your journey.**

Every model is created to inspire, assure and enjoy. It's this philosophy that lies behind everything we do.

From the sleek, dynamic design, to the enhanced specification and exclusive new layouts, every model has been refined to make it more comfortable, functional and luxurious than ever before.

The Coachman caravan company was established in 1986 with just 18 members of staff who hand built 200 caravans each year. Today our team is 200 strong and uses

state-of-the-art technology and manufacturing techniques, to produce three incredibly varied ranges. However, your Coachman is still carefully built by our experienced team and expert designers who continually refine our ranges to ensure that they always exceed expectations. All of which means your new caravan will withstand the test of time for your family's journeys.

That's why, whether you're new to the world of caravanning or a seasoned tourer, there's a 2020 Coachman that's perfect for you.





# Turn up the **HEAT**

**The Alde technology is as sophisticated as the heating found in modern, high-tech homes.**

The radiant, hydronic central heating offers many benefits:

- It heats every part of the caravan creating a homely warmth whatever the season
- The glycol heating fluid circulates quietly around the vehicle ensuring peace and tranquility
- Both gas and electric power sources can be combined when required, giving you hot water, fast
- Low 12 V battery consumption, ensuring you and your batteries can go further
- Pipes and radiators are mounted discreetly behind furniture, optimising available storage



Alde works in close partnership with Coachman. Each stage of the design process is reviewed to ensure heat output, ventilation and installation is as efficient and effective as it can be.

Coachman caravans are subject to cold chamber testing. During the test the caravan is cold soaked down to -15°C for ten hours. After this the caravan must heat up to 20°C within four hours and running water must be operational to achieve a Grade 3 pass.

Coachman share Alde's uncompromising attitude to quality and customer satisfaction, which is why you will see Alde fitted in all 2020 Coachman caravans.



# ADVANCED technology

Relax and enjoy your Coachman caravan safe in the knowledge there is no compromise on quality, safety or durability.

Our exquisite 2020 season caravans are built using innovative materials and our Advanced Bonding Construction (ABC) techniques, which enables us to ensure every Coachman is of the highest quality, weight competitive, durable and easy to take to your favourite destination.

**10**  
YEAR  
WATER INGRESS  
WARRANTY

We're so confident of its effectiveness, that every Coachman comes with our ten year water ingress warranty as standard (T&Cs apply).

ABC has been developed over several years and benefits from the following:

- Screwless, body coloured, fully bonded awning rail to both sides
- 25mm aluminium sandwich sidewall construction with polystyrene insulation core
- 25mm sandwich construction roof for added strength and insulation
- 45mm sandwich construction floor with internal bracing for added strength
- Dovetail joints and metal runners all to drawer units



## RIGOROUSLY TESTED

Coachman meticulously quality check every caravan at several key stages throughout the manufacturing processes. Every single one of our caravans then undergoes comprehensive multi-point checks before being released for delivery.



## COMPETITIVE WEIGHT

By constantly reviewing our design and manufacturing methods along with the materials and components we use, we have been able to maintain competitive weights for our caravans without compromising on quality or durability.



## WATER RESISTANT

Each Coachman is fully bonded using innovative materials, specialist adhesives and the very latest build techniques that together virtually eliminate the threat of water ingress.



## STRONG AND SEAMLESS

The strong and durable body frame is made up of a tough, Polyurethane (PU) material and uses Structural Reaction Injection Moulding (SRIM) techniques which together are virtually impervious to water and have been proven through rigorous testing.



# The luxurious ***LASER*** range

**The Laser, leading the way in luxurious living.**

Elegant, contemporary and innovative the Laser range is pure luxury and packed with all the features you would expect from an exclusive top-of-the-range caravan.

For the 2020 season, this range sees the introduction of the much sought after eight foot wide Laser Xcel.

With five model layouts now available, this is truly an exceptional caravan that will stand out from the crowd.

**5**  
MODELS

**4**  
BERTH

**2**  
AXLES







## Key features




- Exterior side walls finished in modern 'Silver Grey' complemented with 'Laser 3D' exterior graphics
- AL-KO galvanised steel chassis including AL-KO 3004 stabiliser
- AL-KO hydraulic jacking kit
- Underfloor insulated 36 litre fresh water tank system
- Exterior cold shower
- Two way opening, Dometic 10T series 153 litre fridge freezer

- **NEW** integrated mobile phone charging unit (further details of device compatibility are available online)
- **NEW** Pioneer MVH-S520 DAB radio with Bluetooth capabilities
- Alde flow continuous hot water
- Whale master mains water connector
- 2 x AL-KO secure wheel locks

### Laser XCEL (additional to the Laser)

- **NEW** eight foot wide fully bonded aerodynamic bodyshell with full width panoramic roof window
- **NEW** dual locker storage system with designated gas locker
- **NEW** E & P self-levelling system
- Redesigned front seating featuring high supportive backrests and sculptured armrests
- **NEW** kitchen design with enhanced work space and additional storage

For full list of specifications, please visit [www.coachman.co.uk](http://www.coachman.co.uk)



	650	665	675	Xcel 850	Xcel 875
Number of berths	4	4	4	4	4
Interior length	6265mm / 20' 7"	6265mm / 20' 7"	6265mm / 20' 7"	6265mm / 20' 7"	6265mm / 20' 7"
Shipping length	7895mm / 25' 11"	7895mm / 25' 11"	7895mm / 25' 11"	7895mm / 25' 11"	7895mm / 25' 11"
Overall width	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"	2440mm / 8' 0"	2440mm / 8' 0"
Overall height (including TV aerial)	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Tyre size	185/70 R14 88	185/70 R14 88	185/70 R14 88	185/70 R14 88	185/70 R14 88
Tyre pressure (bar/psi at quoted MTPLM)	2.4 / 35	2.4 / 35	2.4 / 35	2.4 / 35	2.4 / 35
Bed sizes <b>Option 1</b>	2 x single 5' 0" x 2' 4" 1 x double 6' 2" x 4' 6"	2 x single 5' 0" x 2' 4" 2 x single 6' 3" x 2' 7"	2 x single 5' 0" x 2' 4" 1 x double 6' 2" x 4' 6"	2 x single 5' 0" x 2' 4" 1 x double 6' 2" x 4' 6"	2 x single 5' 0" x 2' 4" 1 x double 6' 2" x 4' 6"
Bed sizes <b>Option 2</b>	1 x double 6' 9" x 4' 7" 1 x double 6' 2" x 4' 6"	1 x double 6' 9" x 4' 7" 2 x single 6' 3" x 2' 7"	1 x double 6' 9" x 4' 7" 1 x double 6' 2" x 4' 6"	1 x double 7' 2" x 4' 7" 1 x double 6' 2" x 4' 6"	1 x double 7' 2" x 4' 7" 1 x double 6' 2" x 4' 6"
MTPLM	1829kg / 36cwt	1838kg / 36.2cwt	1816kg / 35.7cwt	1927kg / 37.9cwt	1885kg / 37.1cwt
Mass in running order	1669kg / 32.9cwt	1678kg / 33cwt	1656kg / 32.6cwt	1767kg / 34.8cwt	1725kg / 34cwt
Personal payload	160kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt
Upper MTPLM (optional weight plate upgrade)	1900kg	1900kg	1900kg	2000kg	2000kg

Note:- Please consult your dealer for terms and conditions regarding a weight plate upgrade to the upper MTPLM.





# The versatile *VIP* range

**The VIP, the ultimate in luxury, style and comfort.**

Our best selling range has been further enhanced for 2020. With a newly designed interior the VIP boasts boutique bathrooms, generously proportioned kitchens and well planned living and sleeping areas.

With five model layouts available, from two to four berth, the VIP is a modern, luxurious, practical caravan that delivers on style and comfort without compromise.

**5**  
MODELS

**2-4**  
BERTH

**1**  
AXLE








## Key features



- Fully bonded aerodynamic bodyshell incorporating full width panoramic roof window
- AL-KO galvanised steel chassis including AL-KO 3004 stabiliser
- **NEW** 'Tibero' interior wood grain and locker design
- **NEW** Seitz superior one-piece exterior door with high security locking system
- LED offside service light for added convenience

- **NEW** contemporary bathroom design featuring enhanced storage and greater usability
- Heavy duty corner steadies for increased stability
- AL-KO Active Trailer Control (ATC) system
- AL-KO secure wheel lock
- Soft close hinges to all lockers
- Omnivent three speed, two-way roof fan
- **NEW** domestic style ladder radiator in bathroom
- **NEW** integrated mobile phone charging unit (further details of device compatibility are available online)
- **NEW** high security one key locking system

For full list of specifications, please visit [www.coachman.co.uk](http://www.coachman.co.uk)



	460	520	545	565	575
Number of berths	2	3	4	4	4
Interior length	4750mm / 15' 7"	5420mm / 17' 9"	5800mm / 19' 0"	5740mm / 18' 10"	5800mm / 19' 0"
Shipping length	6380mm / 20' 11"	7050mm / 23' 2"	7430mm / 24' 5"	7370mm / 24' 2"	7430mm / 24' 5"
Overall width	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"
Overall height (including TV aerial)	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Tyre size	185 R14 104	185 R14 104	195/70 R15 104	195/70 R15 104	195/70 R15 104
Tyre pressure (bar/psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65
Bed sizes <b>Option 1</b>	2 x single 6' 0" x 2' 4"	2 x single 6' 0" x 2' 4" 1 x single 6' 0" x 2' 4"	2 x single 5' 0" x 2' 4" 1 x double 6' 3" x 4' 6"	2 x single 5' 0" x 2' 4" 1 x single 6' 3" x 2' 4" 1 x single 6' 0" x 2' 4"	2 x single 5' 0" x 2' 4" 1 x double 6' 2" x 4' 6"
Bed sizes <b>Option 2</b>	1 x double 6' 9" x 5' 8"	1 x double 6' 9" x 5' 8" 1 x single 6' 0" x 2' 4"	1 x double 6' 9" x 4' 7" 1 x double 6' 3" x 4' 6"	1 x double 6' 9" x 4' 7" 1 x single 6' 3" x 2' 4" 1 x single 6' 0" x 2' 4"	1 x double 6' 9" x 4' 7" 1 x double 6' 2" x 4' 6"
MTPLM	1425kg / 28.1cwt	1525kg / 30cwt	1643kg / 32.3cwt	1634kg / 32.2cwt	1630kg / 32.1cwt
Mass in running order	1300kg / 25.6cwt	1383kg / 27.2cwt	1487kg / 29.3cwt	1479kg / 29.1cwt	1474kg / 29cwt
Personal payload	125kg / 2.4cwt	142kg / 2.8cwt	156kg / 3.1cwt	155kg / 3.1cwt	156kg / 3.1cwt
Upper MTPLM (optional weight plate upgrade)	1500kg	1550kg	1700kg	1700kg	1700kg

Note:- Please consult your dealer for terms and conditions regarding a weight plate upgrade to the upper MTPLM.



# The attractive **ACADIA** range

**For all year round touring, the new 'Acadia' is the perfect companion for families and couples alike.**

Introduced for the 2020 season the Acadia is an exciting new model range designed to be spacious, flexible and practical whilst still offering the comfort and luxury of a Coachman caravan.

Featuring the fully programmable Alde hot water and heating system in all models giving you performance and flexibility at your fingertips.

With ten layouts available, from two to five berth across single and twin axle platforms, this new range has something for everyone.

**10**  
MODELS

**2-5**  
BERTH

**1-2**  
AXLES







## Key features

- **NEW** Fully bonded aerodynamic bodyshell incorporating full width panoramic roof window
- **NEW** Front dual locker storage system with designated gas locker
- AL-KO galvanised steel chassis including AL-KO 3004 stabiliser
- Ten spoke, hyper silver 'Falcon' alloy wheels and mud flaps
- Underslung spare wheel carrier complete with steel spare wheel
- AL-KO shock absorbers for smoother towing and enhanced stability
- External access locker to nearside front
- Additional under bed access locker on 565, 575, 675 & 860
- External service points for gas BBQ and mains 230v
- **NEW** high security, one piece exterior door with one key locking system
- Smooth action Softrollo pleated blinds with flyscreens to all living areas
- Superior sprung construction upholstery to all models
- Microwave oven with co-ordinating flush fit housing unit
- 24-hour programmable Alde wet central heating and hot water system with **NEW** five year anti-freeze solution
- **NEW** Phantom VanGuard remote control alarm system
- **NEW** retractable bed in 575 & 675 giving more freedom to walk around


For full list of specifications, please visit [www.coachman.co.uk](http://www.coachman.co.uk)




460




470




520




545




565




575




580



630



675



860

	460	470	520	545	565	575	580	630	675	860
Number of berths	2	2	3	4	4	4	5	5	4	5
Interior length	4625mm / 15' 2"	4700mm / 15' 5"	5295mm / 17' 4"	5760mm / 18' 11"	5710mm / 18' 9"	5760mm / 18' 11"	5710mm / 18' 9"	6265mm / 20' 7"	6265mm / 20' 7"	6265mm / 20' 7"
Shipping length	6255mm / 20' 6"	6330mm / 20' 9"	6925mm / 22' 9"	7390mm / 24' 3"	7340mm / 24' 1"	7390mm / 24' 3"	7340mm / 24' 1"	7895mm / 25' 11"	7895mm / 25' 11"	7895mm / 25' 11"
Overall width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2440mm / 8' 0"
Overall height (including TV aerial)	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Tyre size	185 R14 104	185 R14 104	185 R14 104	195/70 R15 104	195/70 R15 104	185 R14 104	195/70 R15 104	185/70 R14 88	185/70 R14 88	185/70 R14 88
Tyre pressure (bar/psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65	2.4 / 35	2.4 / 35	2.4 / 35
Bed sizes <b>Option 1</b>	2 x single 6' 0" x 2' 3"	1 x single 6' 1" x 2' 6" 1 x single 5' 10" x 2' 6"	2 x single 6' 0" x 2' 3" 1 x single 6' 0" x 2' 4"	2 x single 4' 9" x 2' 3" 1 x double 5' 11" x 4' 6"	2 x single 4' 9" x 2' 3" 1 x single 6' 3" x 2' 4" 1 x double 6' 0" x 2' 4"	2 x single 4' 9" x 2' 3" 1 x double 6' 2" x 4' 6"	2 x single 5' 5" x 2' 3" 1 x single 6' 0" x 2' 4" 2 x single bunks 5' 9" x 2' 0"	2 x single 5' 5" x 2' 3" 1 x single 6' 0" x 2' 10" 2 x single bunks 6' 1" x 2' 0"	2 x single 4' 9" x 2' 3" 1 x double 6' 2" x 4' 3" 1 x single 6' 1" x 3' 4"	1 x double 6' 6" x 4' 3" 1 x double 6' 2" x 4' 3" 1 x single 6' 1" x 3' 4"
Bed sizes <b>Option 2</b>	1 x double 6' 7" x 5' 7"	1 x double 6' 1" x 4' 3"	1 x double 6' 7" x 5' 7" 1 x single 6' 0" x 2' 4"	1 x double 6' 7" x 4' 5" 1 x double 5' 11" x 4' 6"	1 x double 6' 7" x 4' 5" 1 x single 6' 3" x 2' 4" 1 x single 6' 0" x 2' 4"	1 x double 6' 7" x 4' 5" 1 x double 6' 2" x 4' 6"	1 x double 6' 7" x 5' 0" 1 x single 6' 0" x 2' 4" 2 x single bunks 5' 9" x 2' 0"	1 x double 6' 7" x 5' 0" 1 x single 6' 0" x 2' 10" 2 x single bunks 6' 1" x 2' 0"	1 x double 6' 7" x 4' 5" 1 x double 6' 2" x 4' 6"	1 x double 6' 6" x 4' 3" 1 x double 6' 2" x 4' 3" 1 x single 6' 1" x 3' 4"
MTPLM	1355kg / 26.7cwt	1343kg / 26.4cwt	1455kg / 31.4cwt	1597kg / 31.4cwt	1581kg / 31.1cwt	1534kg / 30.2cwt	1594kg / 31.4cwt	1725kg / 34cwt	1715kg / 33.8cwt	1870kg / 36.8cwt*
Mass in running order	1231kg / 24.2cwt	1218kg / 24cwt	1314kg / 28.3cwt	1442kg / 28.4cwt	1426kg / 28.1cwt	1379kg / 27.1cwt	1429kg / 28.1cwt	1555kg / 30.6cwt	1555kg / 30.6cwt	1700kg / 33.5cwt*
Personal payload	124kg / 2.4cwt	125kg / 2.5cwt	141kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt	165kg / 3.2cwt	170kg / 3.3cwt	160kg / 3.1cwt	170kg / 3.3cwt*
Upper MTPLM (optional weight plate upgrade)	1400kg	1400kg	1500kg	1600kg	1600kg	1550kg	1600kg	1800kg	1800kg	2000kg

Note:- Please consult your dealer for terms and conditions regarding a weight plate upgrade to the upper MTPLM. \* Estimated weights, to be confirmed.





## COACHMAN CARAVAN COMPANY LTD

Amsterdam Road  
Sutton Fields Industrial Estate  
Hull, HU7 0XF  
Email: [info@coachman.co.uk](mailto:info@coachman.co.uk)

[www.coachman.co.uk](http://www.coachman.co.uk)

This brochure has been designed to provide you with basic information prior to making a purchase decision. Please refer to your dealer for additional information before you buy.

Coachman Caravan Company Limited reserves the right to, and does from time to time, alter technical specifications, prices and model ranges as materials, model improvements and conditions demand, therefore can accept no responsibility for discrepancies between these and subsequent models. Household items illustrated in the brochure (e.g. fruit and personal effects) have been used to enhance photography and are not supplied with the caravan. Limitations in the printing process may mean colours are not truly represented.

It should be noted that distributors and dealers are not the agents of Coachman Caravan Company Limited and therefore are not authorised to bind the Company by any specific or implied undertaking or representation.

All Coachman models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice, specifically relating to health and safety issues.

The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions to gas, electrics and ventilation.

Every Coachman caravan carries the "NCC Approved Caravan" badge. The NCC also conducts unannounced inspections at the Coachman factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.

As the owner of a Coachman caravan, you will be automatically entitled to join our Owners' Club. For more information about the Club, please contact: The Membership Officer, Coachman Owners' Club, 26 Peveril Bank, Dawley Bank, Telford, TF4 2BU.

Please note: Touring caravans are designated by the model year. The model year runs from the 1st September to the 31st August.